09/748796



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Jeffrey E. Stahmann et al.

Examiner: Rivell, John

Patent No.: 7,142,918

Group Art Unit: 3753

Issue Date: November 28, 2006

Docket No: 279.315USI

Title: APPARATUS AND METHOD FOR PACING MODE SWITCHING DURING ATRIAL

TACHYARRHYTHMIAS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

Certificate

COFC

MAR 2 0 2007

We are transmitting herewith the attached:

of Correction

 \underline{X} Request for Certificate of Correction.

X Certificate of Correction Form - PTO-1050 (in duplicate)

 \underline{X} A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Customer No: 21186

Name: J. Kevin Parker

Reg. No.33,024 JKP:CMG:kkh

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 4day of 2007.

Signature

200Patent 7,142,918

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

itent No.:

7,142,918

Docket No: 279.315US1

Issue Date:

Customer No.: 21186

November 28, 2006

Patentee: Jeffrey E. Stahmann et al. Confirmation No.: 3317

Title

APPARATUS AND METHOD FOR PACING MODE SWITCHING DURING

ATRIAL TACHYARRHYTHMIAS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

As the error is that of the Patent Office, it is believed that no fee is due.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743

> Respectfully Submitted JEFFREY E. STAHMANN ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A

P.O. Box 2938

Minneapolis, MN 55402

(612) 373-6900

Date: 3-13-0'

እ\Kevin Parker

Reg. No: 33,024

JKP:kkh

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this gorrespondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this Aday of 2007

Name

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO

: 7,142,918

Page (1) of 1

DATED

: November 28, 2006

INVENTOR(S)

: Stahmann et al.

It is certified that errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 11, line 50, in Claim 7, delete "primaxy" and insert - - primary - -, therefor.

In column 12, line 27, in Claim 12, delete "includes" and insert - - includes - -, therefor.

MAILING ADDRESS OF SENDER:

PATENT NO. _____7,142,918____

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A. P.O. BOX 2938 Minneapolis, MN 55402

withincapons, with 33402

No. of additional copies

Atty Docket No: 279.315US1

Approved for use through 01/31/2004. OMB 0651-0033 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Ålso Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

_			_		_		-	
\mathbf{r}	Δι	EN		NI	1	•	7.	-1
1	\sim 1	-1.A	1	111	_	•		

: 7,142,918

Page (1) of 1

DATED

: November 28, 2006

INVENTOR(S)

: Stahmann et al.

It is certified that errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 11, line 50, in Claim 7, delete "primaxy" and insert - - primary - -, therefor.

In column 12, line 27, in Claim 12, delete "includes" and insert - - includes - -, therefor.

MAILING ADDRESS OF SENDER:

PATENT NO. _____7,142,918_____

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A. P.O. BOX 2938 Minneapolis, MN 55402

No. of additional copies

Atty Docket No: 279.315US1